



Note 2.0 mm end of drill sleeve placed into a predrilled 2.7 mm hole, utilized as a lag by technique 2.7 mm screw.

Modified Extended Drill Sleeves


Designed by Reza Firoozabadi, MD

Designed to help reduce fractures when k-wires are passed through, the extra long long drill sleeve helps to protect soft tissues and prevent the need for stacking two drill sleeves

- ▶ Serrated tips allow for better grip when drilling at an angle or when pushing a fracture fragment to assist with fracture reduction
- ▶ Sleeve can be used as a reduction aid with placement of a kirschner wire through sleeve
- ▶ Collaborated tips which allow placement of appropriate size drills for lagging by technique – as an example a 2.5 end will fit into a 3.5 drill hole



Case example of using modified 3.5/2.5 mm drill sleeve for placing 3.5 mm screws in a forearm fracture case. Note how extended sleeve protects soft tissues during drilling.



PRODUCT NO'S:

3014-00 [Set of Three]

Set Includes/ Available Separately:



3014-03 [3.5/2.5 mm]
 Overall Length: 6.875" (17.6 cm)
 Handle Length: 4.875" (12.4 cm)
 Guide Tube Length: 2.25" (5.7 cm)
 Guide Angle from Handle: 30°

3014-02 [2.7/2.0 mm]
 Overall Length: 6.875" (17.6 cm)
 Handle Length: 4.875" (12.4 cm)
 Guide Tube Length: 2.25" (5.7 cm)
 Guide Angle from Handle: 30°

3014-03 [3.5/2.5 mm]
 Overall Length: 6.875" (17.6 cm)
 Handle Length: 4.875" (12.4 cm)
 Guide Tube Length: 2.25" (5.7 cm)
 Guide Angle from Handle: 30°

ISO 13485:2016

FREE TRIAL ON MOST INSTRUMENTS

Scan to Launch Our Website



103 Estus Drive, Savannah, GA 31404
 www.innomed.net info@innomed.net

912.236.0000 Phone
 912.236.7766 Fax

Innomed-Europe Tel. +41 41 740 67 74
 Fax +41 41 740 67 71

1.800.548.2362