

The drive end (A/O) is designed for easy and quick engagement with the universal instrument handle.

PRODUCT NO'S	ì
---------------------	---

FRODUCT NO 3.
S0010-00 [Complete System with Case]
Individual/Replacement Parts
S0113 [Universal 4" (10,2 cm) Handle]
S0128 [1.5 mm Screw Extractor]
S0116 [2.5 mm Screw Extractor]
S0130 [3.5 mm Screw Extractor]
S0117 [1.5 mm Hex Driver]
S0114 [2.5 mm Hex Driver]
S0115 [3.5 mm Hex Driver]
S0132 [4.0 mm Hex Driver]
S0133 [5.0 mm Hex Driver]
S0136 [2.5 mm Cannulated Hex Driver]
S0137 [3.5 mm Cannulated Hex Driver]
S0138 [4.0 mm Cannulated Hex Driver]
S0139 [5.0 mm Cannulated Hex Driver]
S0118 [Large Cruciform Screwdriver]
S0119 [Small Cruciform Screwdriver]
S0141 [Mini Cruciform Screwdriver]
S0120 [Single Slot Screwdriver]
S0121 [2.2 mm Trephine]
S0122 [3.2 mm Trephine]
S0123 [4.2 mm Trephine]
S0124 [4.7 mm Trephine]
S0125 [7.2 mm Trephine]
S0127 [Universal Extractor – Shaft Only]
S0127-01 [Large Extraction Bolt Body]
S0127-03 [Small Extraction Bolt Body]
S0127-04 [Extractor Wrench]
S0129 [Pick]
S0140 [Cannulated Drive Extension]
9017 [Screw Removal Case Only]



Universal Screw Removal Instrument System

Designed to help remove a variety of screws—solid and cannulated: stripped hex screws, buried screws, partial screws with broken screw heads





Screw Extractor

Unique thread design accommodates removal of stripped screws. The instrument "locks" into the screw head and allows removal once engaged. Designed to be used in a counter-clockwise direction.







Trephine

Designed to fit over submerged screws for extraction with minimal bone loss. Extraction is enhanced by the unique tooth design. Designed to be used in a counter-clockwise direction.



Hex Drivers

Solid shaft in all standard hex sizes.



Cannulated Hex Drivers

Four sizes with a cannulated shaft for easier removal of buried screws.



Universal Extracto

Designed to remove screws with heads partially or completely missing. The cone shaped head fully engages the remaining screw and optimizes the force needed for removal. The but is disposable and locks into place using a unique thread design. Designed to be used in a counter-clockwise direction.



Screwdrivers

Standard cruciform screwdrivers in large, small, and mini, and single slot.



Cannulated Drive Extension

Used when a longer instrument shaft is desired.



The single handle allows the surgeon to decide which direction is most efficient and comfortable. The quick-connect release mechanism allows for quick interoperative exchange.

Used to remove fragments and bone or tissue from screw head.

ISO 9001:2008 • ISO 13485:2003







