


1.800.548.2362
















Alvi Small Charnley Style Locking Frame Set Designed by Hasham Alvi, MD

A self-retaining frame and retractor system designed for use during anterior total hip arthroplasty, the blades help retract the hip capsule and musculature, permitting an unobstructed view of the acetabulum while freeing an assistant

Set includes one locking frame (7425-01) and one each of the three blade sizes: 2" (7425-02), 3" (7425-03), and 4" (7425-04). (Optional Winged Modified Tapered Blades not included in set.)

Set #7425-00 so Available Individually





#7425-02





Optional Winged Modified **Tapered Blades**

(NOT INCLUDED IN SET) Design modified by Prof. Dr. med. Andrej M. Nowakowski

Features a tapered, winged blade for gentler soft tissue retraction

Optional Winged Modified 2" Tapered Blade #7425-02-MOD

Optional Winged Modified 3" Tapered Blade #7425-03-MOD

Optional Winged Modified 4" Tapered Blade #7425-04-MOD





Das Anterior Hip Bolster Assembly

Design modification by Amal Das, MD of original design by Benjamin M. Frye, MD Designed to help provide counter resistance on the contralateral hip during reaming and implant insertion in direct anterior hip arthroplasty











The deep offset design allows the surgeon to line up with canal entry and the tip angled slightly upwards to help prevent femoral protrusion





LISA MADE



Designed to help extract a well-fixed cementless

porous acetabular component

Technique can be used without extracting the liner. Helps to preserve bone stock.



Set #5275-00

Surgical Technique Article: A Simple Technique to Remove Well Fixed Porous Cementless Acetabular Component in Revision Total Hip Arthroplasty

Flat Punch

Curved Ostentome #5275-01

Garneti Curved

Hip Cup Revision Osteotome Designed to clear the acetabular margins.



Designed to tap the acetabular component in several quadrants, helping to disrupt the implant-bone interface.



Designed to tap the acetabular component in a clockwise/anti-clockwise direction and finally in a retrograde direction to help with implant removal. See page 9 for use in knee surgery.

Bhargava Modular Offset Cup Liner Impactor

Designed to help impact an acetabular cup liner during minimally invasive direct anterior and MIS posterior approach THR

Used in conjunction with individual interchangeable heads (sold separately) which fit securely onto the impactor end

Helps avoid edge loading and improper seating of the liner that can occur with a straight impactor

Uses the same heads as the Innomed CupX Actetabular Cup Extraction System





22 mm #5202-22 26 mm #5202-26 28 mm #5202-28 32 mm #5202-32



Head(s) Sold



Direct Anterior Angled Curette

Angled design to better access the medullary canal during anterior total hip surgery



#C1031



Swan Lateral Knee Retractor

Designed by Jess Lonner, MD

Ergonomically designed for more effective retraction when using a robotic arm, allowing for clearer views of the surgical site

The retractor can effectively protect the lateral soft tissues and the patella when resecting the tibial plateau and lateral femoral condyle.













Powers Flared Small Knee Retractor

Designed by Mark Powers, MD





#6291



SSYZZO(O)) ZSGRZ LLIZOTROD(LO) RA

SOZRZ GENYONNI

RE

Designed to straddle the cruciate ligament and lie in the condylar notch, allowing the surgeon to retract the tibia away from the femur for better access



#2820-S

PCL Retractor - Straight



Designed by Adam Rosen, DO

Designed to help with exposure and soft tissue protection





New!







Offset Gouge for Posterior Osteophyte Removal in TKA

Designed by Robert Steensen, MD








During **revision knee surgery**, can be used to help disrupt the boneimplant, cement-bone and cement-implant interfaces. The osteotome can also be used to help extract the tibial and femoral components.

During **primary knee surgery**, can be used to help remove cement from the periphery of a tibial base plate and femoral component.



Wiater Shoulder Drape Crossbar Designed by J. Michael Wiater, MD, FAAOS, FAOA

Designed for use during shoulder surgery in the beach chair position or during other surgical procedures to support and keep the surgical drapes away from the surgical site, maintain a sterile field, and help to allow the anesthesia provider good access to the airway




Lightweight stainless steel bar with end clamps for attaching to two IV poles.





#2417



Also useful to help expose the humerus during proximal subpectoral biceps repair



New!



Rogozinski Glenoid Retractor

Designed by Chaim Rogozinski, MD

Designed with an ergonomic profile to help reduce retraction fatigue and place the assistant's hand out of surgical view, while the undersurface helps stabilize the humeral head to allow excellent visualization of the glenoid



USA MADE

#4271

Rogozinski Glenoid Reaming Retractor

Designed by Chaim Rogozinski, MD

Designed to help expose the glenoid for reaming during total shoulder arthroplasty



New!

#4277-01

Levy Anterior Glenoid Retractors



Designed to help alleviate tension on anterior glenoid structures, while the handle is designed to optionally be clamped to the drape







#4536-01












Bacastow Arthroscopic Deltoid Lift Retractor

Designed by David Bacastow, MD

Designed to help improve visualization of the subacromial space during rotator cuff repair or balloon spacer placement





Carpal Tunnel Release Guide and Blade Set

Guide designed by Peter J. Evans, MD, PhD

Guide designed to help protect the median nerve while providing a track that allows for the smooth advance of the blade to divide the transverse carpal ligament during a mini-open, non-endoscopic approach



Carpal Tunnel Release Blade #1124-02 (Pack of 2)



Silicone Hand with Positioning Rings

Evans Carpal Tunnel Guide #1128


Designed to help with positioning of hand and fingers for surgery, the silicone rings aid in stabilizing the fingers

The flexible silicone is easily bendable while maintaining the ability to remain in position once set. Silicone hand and rings are steam sterilizable.

Set #1746-00 Also Available Individually MADE FOR INNOMED IN GERMANY

Set includes Silicone Hand and six (6) Silicone Positioning Rings







Superior Coracoid Modification

Modified Mini Hohmann Retractor with Superior Coracoid Modification

Used for small bone and superior coracoid retraction/exposure





Johnson Low Profile Foot & Ankle Retractors

Designed by Michael Johnson, MD

Designed for soft tissue retraction in the foot and ankle





Double Bent Handle #1636-02 Straight Handle #1636-01


















* Screwdrivers not included.

Mantis Screwdriver Distractor Designed by J. Albert Diaz, MD

Designed to help provide stable distraction across difficult-to-reduce fractures using two seated screwdrivers*





- Allows for distraction of difficult-to-reduce fractures without the need to drill additional holes outside of the plate
- The plate can be locked with a screw once length has been restored



#3654

Rose Hamstring Tendon Harvester Designed by Donald J. Rose, M.D., FACS, FAHOS


Designed to easily convert from an open to a closed device without sharp edges to facilitate safe harvesting of hamstring tendon autografts











Izuka Cannulated Fracture **Awls & Trocar Set**

Cannulated awls (blunt tip and sharp tip) with trocar designed to help safely and accurately place standard K-wires up to 0.825" (2,1 mm) with either open or percutaneous techniques, helping to avoid soft tissue injuries that may occur without the use of such devices

The sharp tip design minimizes migration of the awl when inserting the K-wire at an oblique angle to the bone surface.

May also be used to place K-wires for use with specialty sets (with guide wires that are shorter than standard K-wires) with minor modifications in technique.














Bechtold Ergonomic Orthopedic Mallet

Designed by Dustin Bechtold, MD


Ergonomically designed for forward and backward strikes, featuring an ergonomic handle with a tamp



#7822

- Large and small striking heads with smooth surface
- Palmar side of the mallet features a flat surface to slide along a broach or impacting type instrument for back slapping and serves well as an additional striking surface





Basic Screw Removal System

System designed to help remove damaged and broken screws from 1.5 to 7.0 mm



Complete System with Case #2022-00
Also Available Individually

MADE FOR INNOMED IN GERMANY



18

For 5.0/6.5/7.0 mm Screw #2024-06

Intramedullary Nail Removal Set

System designed to help remove an intramedullary nail



Complete System with Tray #2027-20
Also Available Individually

MADE FOR INNOMED IN GERMANY

Stabilizing Bar #2027-06

Open End Wrench #2027-07

Extraction Spreader Size 1 #2027-11A Two included in set; one with this product number

Extraction Spreader Size 1.5 #2027-11B Two included in set; one with this product number

Extraction Spreader Size 2 #2027-11C

Two included in set; one with this product number

Extraction Spreader Size 2.5 #2027-11D

Two included in set; one with this product number

Extraction Spreader Size 3 #2027-11E Two included in set; one with this product number

Extraction Assembly Rod & Slaphammer

Extraction Push Rod #2027-12B

Extraction Tightening Assembly #2027-12C

INSTRUCTIONS FOR NAIL REMOVAL:

- 1. Insert the push rod into the slaphammer rod, leaving the ball end outside of the slaphammer rod. Connect the t-handle tightening assembly over the ball end of the push rod. Screw the t-handle tightening assembly with push rod attached into the slaphammer rod.
- 2. To determine the correct size of nail extraction spreader, it should be completely inside the nail to be removed. If the extraction spreader wobbles, then it is too small. If threads are exposed, it is too large.
- 3. The extraction spreader is then completely threaded into the tapered end of the slaphammer rod. It is tightened using the open-end wrench and stabilizing bar.
- 4. The complete assembly is screwed into the nail by hand tightening.
- 5. Tap on the end of the t-handle tightening assembly with three light taps and re-tighten the t-handle tightening assembly if needed. Using the slaphammer or mallet, start with light taps to remove the nail.



#2027-12A

Features

- Beveled edge that allows easy capture of end of pin
- Cannula can be used as a trephine for pins with bony overgrowth
- Reusable thick walls withstand repeated uses

After exposing the pin end, the cannula helps bend the pin for better access for the removal instrument while maintaining a small incision.



PRSRT. STD.





Chandran Thigh Lift Positioner Designed by Rama Chandran, MD

Designed to help lift and position the thigh from above during knee surgery







INNOMED, INC Savannah, GA 31404

912.236.0000 Tel Fax 912.236.7766

innomed net info@innomed.net

Innomed-Europe LLC

Alte Steinhauserstr. 19 CH-6330 Cham, Switzerland Tel 0041 (0) 41 740 67 74

www.innomed-europe.com orders@innomed-europe.com

Innomed-Europe GmbH

c/o Emons Logistik GmbH In Rammelswiesen 9 D-78056 Villingen-Schwenningen, Germany Tel 0049 (0) 7720 46110 60

www.innomed-europe.com orders@innomed-europe.com











INNOMED.NET

